

**In the Claims**

Kindly amend claims 1 to 9 as indicated in the following marked-up listing of the entire claims now pending.

What is claimed is:

1. (currently amended) A warp knit ~~having excellent touch, comprising:~~ consisting of three layers: namely a front surface layer, a rear surface layer, and an intermediate layer arranged between the front surface layer and the rear surface layer, the front surface layer consisting of ultra fine yarn with mono-filament denier of 0.01~ to about 0.3 denier, the intermediate layer consisting of spandex elastic yarn, the rear surface layer consisting of synthetic yarn ~~or high shrinkage yarn~~ with mono-filament denier of 1~ to about 5 denier, wherein the recovery rate of elongation in the directions of wale and course is 25~ to about 60 %.
2. (currently amended) The warp knit ~~having excellent touch as claimed in~~ of claim 1, wherein the content of the ultra fine yarn constituting the front surface layer is 40~ to about 87 % in weight of the total weight of the processed warp knit.
3. (currently amended) The warp knit ~~having excellent touch as claimed in~~ of claim 1, wherein the content of the spandex elastic yarn constituting the intermediate layer is 3 ~ to about 20 % in weight of the total weight of the processed warp knit.
4. (currently amended) The warp knit ~~having excellent touch as claimed in~~ of claim 1, wherein the content of the synthetic yarn ~~or the high shrinkage yarn~~ constituting the rear surface layer is 10 ~ to about 57 % in weight of the total weight of the processed warp knit.
5. (currently amended) The warp knit ~~having excellent touch as claimed in~~ of claim 1, wherein the density of the processed warp knit is 40 ~ to about 80 wales and courses/inch.

6. (currently amended) The warp knit ~~having excellent touch as claimed in~~ of claim 1, wherein the ultra fine yarn and the synthetic yarn are polyester yarns.

7. (currently amended) The warp knit ~~having excellent touch as claimed in~~ of claim 1, wherein the ~~high shrinkage yarn~~ synthetic yarn is a co-polyester yarn with 15~ to about 50% of shrinkage rate in boiling water.

8. (currently amended) A process of preparing a warp knit ~~having excellent touch, characterized in that firstly,~~ comprising the steps of:  
knitting a the warp knit by using a composite fiber ~~consisting of~~ comprising a fiber-~~formation forming~~ component of 0.01~ to about 0.3 denier and an extraction component, as a yarn ~~of for~~ for a front surface layer, a spandex elastic yarn as a yarn ~~of for~~ for an intermediate layer, and a polyester yarn ~~or high shrinkage yarn~~ with mono-filament of 1~ to about 5 denier as a yarn ~~of for~~ for a rear surface layer,  
and then raising the warp knit until ~~a the~~ 40% or more shrinkage rate of the warp knit is reached ~~40% or more,~~  
and then ~~preliminarily~~ pre-heating, extracting the extraction component from the composite fiber, dyeing, buffing,  
and finally heating the warp knit continuously by passing the warp knit through a hot air dryer.

9. (currently amended) The process of ~~preparing a warp knit having excellent touch as claimed in~~ claim 8, wherein the ratio in weight ratio of the yarn of the front surface layer :

to the yarn of the intermediate layer ÷ to the yarn of the rear surface layer is 40~ to about 87  
% ~~in-weight~~ ÷ to 3~ to about 20 % ~~in-weight~~ ÷ to 10~ to about 57 %. ~~in-weight.~~